



**Office of the Monroe County Surveyor**  
**Trohn Enright-Randolph**

---

Health Services Building  
119 West 7<sup>th</sup> Street  
Bloomington, IN 47404  
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Lawrence County are stored on microfilm Reel 1903 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at [SurveyorsOffice@co.monroe.in.us](mailto:SurveyorsOffice@co.monroe.in.us) to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph  
Monroe County Surveyor







T. A. C. R. N.º 172<sup>a</sup> Mm. Inda.

LC. AR 17.

West Oak Random line on the South Wound of No. 32  
J. C. A. R. I. W.

# 40,000 Let a tempo in support.

# 14.00 Long Brook 12 links in a. Lerner & C.

80.00 Set a timer just after ca of val 31 832.

Sand rolling In the Oak & Hickory

Not a Random line. On the South Boundary of the 31.  
H. R. 1 W.

4000 Let a temp. of the supst.

81446. Intwined the Range line North of the cor of T<sup>B</sup> 46 N.  
R<sup>S</sup> 1 E 4 N. Sound the same.

N: 16977. Sand the same.

East On the Ave line On the Link Branch of sec 31.  
T. 6 N. R. 17 W.

24446 Set the traps in support on the tree in from which  
W. Oak. 12 in diam. base. 25877 of limbs dist. to  
93 m. to base.

8446. Let the trumpet post on the true line for the angle cut 31430  
from which, W. 104. 19 in direction. N 70 E to the end  
angle a No. 124 " " S 70 E 28 " "

This milk is over thin Oak, & Mucky Limestone land

East On the New Line On the South Boundary of sec 32  
H. C. A. N. W.

4000 Let the transport be reported on the New Line from which  
Beach 12 in direct line N 86 E. 10 the dist. by  
Hoyman 5 1/2 " " S 83 E. 6 1/2 "

80,00 Let the tempt just in the time for the confu. of the  
from which, I plan. II in the: have App E. 25 the date  
under Natant. II " " " A B M W " "

from which, I plan to indicate how App E is the dist  
under Natural 10 " " " A B W D.

A 15<sup>th</sup> Dec.

I N<sup>o</sup>. 6. N. R. V. 1<sup>st</sup> M<sup>o</sup>. 2<sup>nd</sup> M<sup>o</sup>. 1899

East Arthur Ave. 1 mi. North Litchfield, N. H. 34  
J. C. N. N.

4000 Set the tempo 7m 24 sec on the time from which you  
 took 20 in dist. time. A43E 32 the dist; 72

Ho. 20      Ag N. 20

80,00 Let the trumpet post on the line line for the car of 25.50  
Reck. 20 in machine, 130 77.75 links out, 20

No. 16 " " " ASE No. 9

\* East On the New Line On the South Boundary of Sec. 33.  
T. 6. N. R. 17.

4000 Set the trap in a post in the tree line from which  
Sugar 10 in diameter N49 E 15 fms east, say

*Bent. 10 " " M<sup>3</sup>E 10 " "*

80,00 Let the timber put on the line line for the car of Dec 33 till  
from which, Break 6 in dist. from N 78 E. 2/3 the creek

under Sugar. W " " " G. E. Y. "

East Quarter Sec. 16. Cont'd South Boundary of sec. 35.  
T. 6. R. 17.

20.00 Let the trumpet be silent on the true line from which  
Hicks can draw him. N.B. 10 W. inst. 50

Ammon Co. " 1717-12.

8000 Set the transfer press on the time line for the cu. of 25.56.  
from white, Blue Ash 10 in width. N.E. of the air

und so. Llo. - " " " 1730 & 15.

East On the line On the South River. 7 of Dec. 36  
T. G. R. R. 17.

40.00 Let the tempt to repeat in the time since from which,  
Buck. 8 in dia. from N 35 E 17 lbs dia. 72

No. 12. " " 1787. 21.

80.00 In the cu of P. 576. DR 1611W.











T. A. C. A. R. No. 174 D<sup>nd</sup> M<sup>u</sup>. Ind.

North	On the East Boundary of Sec. 36. T. 6. N. R. 2 W.
40.00	Set a post from which Nick 10 in dist. from. S 29 E. 26 the dist. to He. 12 " " " N 19 W. 32 "
80.00	Set a post for the corner of 25 & 36 from which Dogwood 6 in dist. from. S 19 E. 34 the dist. to Sug. 9 " " " N 8 E. 31 "
	Land rolling Timber Oak & Hickory. Poplar & Birch
North	On the East Boundary of Sec. 25. T. 6. N. R. 2 W.
13.80	Log Mark 12 in dist. in the line.
40.00	Set a post from which Birch 10 in dist. from. S 15 W. 40 the dist. to Oak 12 " " " N 6 W. 19 "
80.00	Set a post for the corner of 24 & 25 from which Birch 18 in dist. from. N 78 E. 27 the dist. to He. 11 " " " N 47 W. 23 "
	Land the same.
North	On the East Boundary of Sec. 24. T. 6. N. R. 2 W.
13.00	Log Mark 30 in dist. in the line.
40.00	Set a post from which Hick 10 in dist. from. S 25 E. 28 the dist. to Dogwood 6 " " " N 19 W. 23 "
76.00	Log Mark 10 the same. Corner E.
80.00	Set a post for the corner of 13 & 24 from which Poplar 12 in dist. from. S 30 W. 31 the dist. to Birch 10 " " " N 53 E. 15 "
	Land the same Soil Timber Oak, Birch, & W. Spruce
North	On the East Boundary of Sec. 13. T. 6. N. R. 2 W.
40.00	Set a post from which Oak 7 in dist. from. N 17 W. 23 the dist. to

T. A. C. A. R. No. 175 D<sup>nd</sup> M<sup>u</sup>. Ind.

	Oak 20 in dist. from. N 60 E. 24 the dist.
North	Log Mark 10 the same. Corner E.
80.00	Set a post for the corner of 12 & 13 from which Birch 20 in dist. from. N 65 E. 11 the dist. to He. 20 " " " S 26 W. 26 "
	Land the same.
North	On the East Boundary of Sec. 12. T. 6. N. R. 2 W.
40.00	Set a post from which Sug. 6 in dist. from. S 25 E. 7 the dist. to He. 5 " " " N 80 W. 14 "
80.00	Set a post for the corner of 14 & 12 from which Hick 11 in dist. from. S 71 E. 5 the dist. to Sug. 12 " " " N 8 E. 25 "
	Land the same Timber Sug. Birch &c.
North	On the East Boundary of Sec. 1. T. 6. N. R. 2 W.
15.50	Log Mark 24 in dist. in the line.
40.00	Set a post from which Oak 10 in dist. from. S 26 W. 7 the dist. to Sug. 6 " " " N 10 E. 16 "
49.00	Log Mark 30 in dist. in the line.
80.00	Set a post at the distance of 6 miles from the South Boundary for the corner of T. 6 N. R. 1 W.
	Surveyed by Arthur Henric. L.S.
Subdivision	
North	Return Sur. 35 & 36 T. 6. N. R. 1 W.
33.00	Log Mark 10 the same. Corner W.
40.00	Set a post from which Dogwood 6 in dist. from. S 64 W. 15 the dist. to Birch 10 " " " N 73 W. 21 "



## J. N. O. S. R. N. S. N. D. M. S. Ind.

49.50	To a Poplar 29 in dia in the line.
61.70	To a Brook 18 in dia, lower N.
80.00	Set a post for the carpenter. 25. 26. 35 186. from which, Sunderling Timber Beach, Poplar Sugar.
East	On a Random line between Sur. 25 186. To 18 187.
40.00	Set a trip 1/4 support.
80.00	Set a post for the East Boundary 30 lbs South of the first cut of cut 25 186. Sunderling same.
West	On the line between Sur. 25 186. To 18 187.
40.00	Set the trip 1/4 support on the line at the av. dist from which, Sugar 6 in dia beam. 170 N. 16 lbs dist can do a 10. 8 " " " 180 N. 21. " "
80.00	To the cut of cut 25. 26. 35 186.
North	Between Sur. 25 186. To 18 187.
40.00	Set a post support from which, Immersed 6 in dia beam. 138 N. 22 lbs dist. 80, Beach. 20 " " " 121 E. 24 " "
59.50	To a Brook 22 in dia, lower N. N.
80.00	Set a post for the cut of cut 23. 24. 25 186. from which, Logwood 12 in dia beam. 143 E. 15 lbs dist. 80, Beach. 10. " " " 124 E. 20. " " Sunderling Timber same.
East	On a Random line between Sur. 24 185 To 18 187.
40.00	Set a trip 1/4 support.
79.86	Set a post for the East Boundary 18 lbs South of the first cut of cut 24 185. Sunderling same.

## J. N. O. S. R. N. S. N. D. M. S. Ind.

West	On the line between Sur. 24 185 To 18 187.
39.93	Set the trip 1/4 support at the av. dist on the line from which, Beach. 22 in dia beam. 179 E. 22 lbs dist can do a 10. 24 " " " 174 N. 18 " "
79.86	To the cut of cut 23. 24. 25 186.
North	Between Sur. 23 184. To 18 187.
40.00	Set a post support from which, Immersed 6 in dia beam. 110 E. 10 lbs dist. 80, 10. 8 " " " 176 N. 14 " "
43.00	To a Brook 10 in dia, lower N.
80.00	Set a post for the carpenter. 23. 24. 25 186. from which, Elm. 40 in dia beam. 125 N. 27 lbs dist. 80, Stick 12 " " " 186 E. 32 " " Sunderling same.
East	On a Random line between Sur. 23 184. To 18 187.
2.50	To a Brook 10 in dia, lower N.
10.00	" " 100 " " " " " 187.
40.00	Set a post support.
43.00	To a Brook 10 in dia, lower N.
80.00	Set a post for the East Boundary 12 lbs South of the first cut of cut 23 184. Sunderling same.
West	On the line between Sur. 23 184. To 18 187.
40.00	Set a post support on the line from which, Elm. 40 in dia beam. 154 E. 50 lbs dist. 80, Beach. 10 " " " 129 N. 30 " "
80.00	To the post cut of cut 23 184. 23 184.
North	Between Sur. 23 184. To 18 187.
0.50	To a Brook 10 in dia, lower N. 500 N. " "
40.00	Set a post support from which,



## J. A. C. A. R. N. 177 2nd Mn. Ind.

80.00	Black 24 in dia. beam. A 11 E. 25 lbs dist, to, Beck 6 " " " S 8 W. 9 " " Set a post for the cor. post. 11. 12. 13 from white, 23 Walnut 20 in dia. beam. A 8 W. 18 lbs dist, to, Ely. 8 " " " S 6 W. 19 " " Sand the same.
East 40.00	On a Kanam line between Dec 12 1873. T. C. A. R. 177 Set a timber for support.
65.00	To a Brook 25 lbs mas, corner 17.
79.75	Set out the A 13 line or East corner 40 lbs North of the post cor. post. 12 13 Sand the same.
West 37.875	On the line line between Dec 12 1873. T. C. A. R. 177. Set the timber for support at the ar. dist on the line from white, Beck 12 in dia. beam. A 80 E 39 lbs dist, Sa. 12 " " " S 36 E 7 " " 79.75 Set the cor. post. 4. 12. 13 & 14.
North 40.00	Return Dec 11 1873. T. C. A. R. 177. Set a post support from white, Beck 12 in dia. beam. A 33 W. 22 lbs dist, to, Lo. 10 " " " S 4 E 17 " " 13.50 To a Brook 12 lbs mas, corner 17. 80.00 Set a post for the cor. post. 11. 12. 13 from white, Ely. 8 in dia. beam. A 65 W. 17 lbs dist, to, Sugar. 8 " " " A 37 W. 22 " " Sand with timber same.
East 15.00	On a Kanam line between Dec 1873. T. C. A. R. 177 To a Brook 12 lbs mas, corner 17.
40.00	Set a timber for support.
80.25	Set out the East corner 53 lbs North of the post.

## J. A. C. A. R. N. 177 2nd Mn. Ind.

	Cor. post. 1773 Sand the same.
West 40.00	On the line line between Dec 1873. T. C. A. R. 177. Set the timber for support on the line line at the ar. dist from white on corner 16 in dia. beam. A 14 W. 11 lbs dist, an ar. Nick 10 " " " A 78 W. 13 " " 80.25 Set the cor. post. 1. 2. 11 1773.
North 24.50	Return Dec 1873. T. C. A. R. 177. To a Brook 18 in dia. with the line. 40.00 Set a post support from white, Sugar 10 in dia. beam. A 10 E 12 lbs dist, to, Poplar 11 " " " S 6 E 8 " " 82.00 Set out the A. corner 110 lbs West of the post. cor. post. 35 136. T. J. A. R. 177. and set a post cor. " " 1772 from white, Logwood 6 in dia. beam. A 32 E 8 lbs dist, to, Beck. 12 " " " S 77 W. 12 " " Sand the same. April 2. 18. 177.
North 1.51	Return Dec 34 1875. T. C. A. R. 177. To a Brook 50 lbs mas, corner 17. 17.00 " " Beck 20 in dia. with the line. 40.00 Set a post support from white, Beck 6 in dia. beam. S 8 E 20 lbs dist, to, Sugar. 18 " " " S 8 E 8 " " 80.00 Set a post for the cor. post. 26 27 34 1875. from white, Logwood 6 in dia. beam. S 37 E 11 lbs dist, to, Beck. 6 " " " A 35 W. 14 " " Sand with timber Beck, Sugar, Ash, & Poplar.
East 40.00	On a Kanam line between Dec 26 1875. T. C. A. R. 177 Set a timber for support.



T. A. C. A. R. A. 179<sup>th</sup> M. Ind.

7994	Take out the 115 line 8 mps. South of the first cor of sat 25, 26, 35 & 36. Sand & the same.
Met	On the line between Sat 26 & 27 T. C. A. R. 179
39.97	Set the temp. 7 <sup>th</sup> support at the cor. and on the line from white, Bent 12 in dia. line. N 67 E. 37 the dist. and a Sugar. 6 " " N 29 E 11 " "
79.94	Take out cor of sat 26, 27, 34 & 35.
100th	Between Sat 26 & 27 T. C. A. R. 179
27.50	Sea Broom 10 lbs. mds, come N.
40.00	Set a 7 <sup>th</sup> support from white, Bent 20 in dia. line. N 44 W. 10 the dist. 10, 10. 18 " " N 22 E. 22 " "
54.50	Sea Broom 200 lbs. mds, come S. W.
80.00	Set a post for the cor of sat 22, 23, 26 & 27 from white, Sugar. 10 in dia. line. N 18 W. 33 the dist. 10, 10. 8 " " N 22 E. 28 " "
	See the hill, line to same.
East	Look at the line between Sat 23 & 26 T. C. A. R. 179
3.00	Sea Broom 200 lbs. mds, come.
15.00	East side, come S. E.
40.00	Set a temp. 7 <sup>th</sup> support.
80.00	Take out the 115 line 12 lbs. South of the first cor of sat 23, 24, 25 & 26. Sand & the same.
Met	On the line between Sat 23 & 26 T. C. A. R. 179
40.00	Set the temp. 7 <sup>th</sup> support for the line from white, N 107 E 8 in dia. line. N 89 E 106 the dist. 1
80.00	Take out cor of sat 22, 23, 25 & 26.
North	Between Sat 23 & 26 T. C. A. R. 179.

T. A. C. A. R. A. 179<sup>th</sup> M. Ind.

0.50	To Salt Creek 200 lbs. mds, come S. E.
40.00	Set a 7 <sup>th</sup> support from white, Sugar 10 in dia. line. N 17 E 29 the dist. 10, Bent 20 " " N 17 W 30 " "
	This post is 400 lbs. 100 lbs. far South by a pin being lost.
72.50	Sea Broom 100 lbs. mds, come N.
80.00	Set a post for the cor of sat 14, 15, 22 & 23 from white, Bent 12 in dia. line. N 19 E 10 the dist. 10, 10. 20 " " N 10 W 28 " "
	See the same.
East	On the line between Sat 14 & 23 T. C. A. R. 179
20.00	Set a temp. 7 <sup>th</sup> support.
43.10	To a point 300 lbs. mds. N 67 E 17
50.00	Sea Broom 100 lbs. mds, come S. W.
78.00	To 100. 100 " " " "
80.10	Take out the 115 line at the first cor of sat 13, 14, 23 & 24. Sand bent & mds.
Met	On the line between Sat 14 & 23 T. C. A. R. 179
40.05	Set the temp. 7 <sup>th</sup> support on the line from white, Bent 10 in dia. line. N 57 W 10 the dist. 10, 10. 10 " " N 64 E 9 " "
80.10	Take out cor of sat 14, 15, 22 & 23.
North	Between Sat 14 & 23 T. C. A. R. 179.
5.50	Sea Broom 200 lbs. mds, come N.
40.00	Set a 7 <sup>th</sup> support from white, Bent 10 in dia. line. N 16 W 20 the dist. 10, 10. 8 " " N 15 W 13 " "
61.50	To an Elm. 18 in dia. House on the line.
80.00	Set a post for the cor of sat 10, 11, 14 & 15 from white,



## T. A. C. A. R. No. 177 2nd Mo. Ind.

	Beck 24 in air bar. 879 N 31 the dist. 89 Do. 12 " " 870 E 27 " " Sound hill and mt. Timber Beck Ash & Maple
East	On a Random line between Sec 11 & 12 T. 6 N. R. 17 W.
40.00	Set a temporary support.
54.50	Long Brook 200 links m. d., Corner S. W.
80.00	Set out the A. B. line. 12 links South of the post cor of sec. 11 12 13 & 14 Sound the same.
West	On the true line between Sec 11 & 12 T. 6 N. R. 17 W.
40.00	Set the temporary support on the true line at an angle from white, Beck 18 in air bar. N 65 W. 39 the dist. on a 10 " " " 149 E 10 " "
80.00	Set the post cor of sec. 10 11 12 & 13.
North	Return Sec 10 & 11 T. 6 N. R. 17 W.
40.00	Set a temporary support from white.
	Beck 8 in air bar. 87 E. 20 the dist. 89 Do. 12 " " " 132 W. 11 " "
44.50	Long Brook 25 the m. d., Corner E.
52.00	" " Do. 20 " " " 2 E.
80.00	Set a post for the corner 2, 3, 11 & 12 from white, Sugar 6 in air bar. 879 N. 11 the dist. 89 Beck 6 " " " 55 E. 18 " " Sound hill and mt. Timber Beck &c.
East	On a Random line between Sec 2 & 11 T. 6 N. R. 17 W.
40.00	Set a temporary support.
80.00	Set out the A. B. line 12 the. North of the post cor of sec. 1, 2, 11 & 12 Sound hill, Timber Beck, Oak Hick &c.

## T. A. C. A. R. No. 177 2nd Mo. Ind.

West	On the true line between Sec 2 & 11 T. 6 N. R. 17 W.
40.00	Set a temporary support at an angle on the true line from white, Beck 12 in air bar. N 51 W. 17 the dist. on a 10 " " " 182 E 22 " "
80.00	Set the post cor of sec. 2 & 11.
North	Return Sec 2 & 3 T. 6 N. R. 17 W.
40.00	Set a temporary support from white, Sound same. 12 in air bar. N 25 W. 44 the dist. 89 Beck 6 " " " 30 E. 21 " "
82.60	Set out the A. B. line 75 the West of the post cor of Sec 3 & 13. T. 7 N. R. 17 W. and set a post for the cor, 1, 2 & 3 from white. Beck 12 in air bar. N 60 E. 14 the dist. 89 Do. 6 " " " 262 W. 15 " " Sound same. Apr. 3 <sup>rd</sup> 1814
North	Return Sec 33 & 34 T. 6 N. R. 17 W.
20.00	Long Brook 200 the m. d., Corner S. E.
40.00	On an Offset to the West.
80.00	Set a post for the corner 2, 7, 28, 33 & 34 from white, Hick 18 in air bar. N 62 E. 18 the dist. 89 Sugar 8 " " " 36 E. 12 " " Sound mt. Timber Beck, Ash, Gum, Oak & Hick
East	On a Random line between Sec 2 & 11 T. 6 N. R. 17 W.
40.00	Long Brook 20 the m. d., Corner S.
40.00	Set a temporary support.
58.50	Long Brook 10 the m. d., Corner S.
80.00	Set out the A. B. line, at the post cor of sec. 2 & 11, 28 & 33 Sound hill, Timber Beck, Oak & Hick
West	On the true line between Sec 2 & 11 T. 6 N. R. 17 W.







I. A. C. A. R. N. 177<sup>2nd</sup> Mm. Sud.

80.00	Whiskey Immored 6 in deer house. 177 N. 17 <sup>th</sup> dist. andew Red But 6 " " " 173 E 9 " " Set post on of 9. 11 15 116.
North	Return Sur 9 070. I. C. A. R. 177.
25.00	Toa Brook 25 lbs ma, Come E.
40.00	Set a 7/8 sup post from which Beak 20 in deer house. 177 N. 8 <sup>th</sup> dist. 10, Do. 10 " " " 180 E. 15 " "
58.50	Toa Brook 17 lbs ma, Come S. E.
80.00	Set a post for the car of sur 349 810 from which, 10 1/2 mrod 6 in deer house. 180 E. 2 <sup>th</sup> dist. 10, Beak. 10 " " " 177 N. 20 " " Send the same.
East	On a Random line between Sur 3410. I. C. A. R. 177.
40.00	Set a temp 7/8 sup post
48.50	Toa Brook 200 lbs ma, Come S. E.
80.00	Set a post for the A. S. line at the post on of sur 2. 3 11 111. Send the same.
West	On a Random line between Sur 3410. I. C. A. R. 177.
40.00	Set the temp 7/8 sup post at the ar. dist. on the line from which, Beak 24 in deer house. 184 N. 36 <sup>th</sup> dist. andew Do. 18 " " " 137 E. 30 " "
80.00	Set the car of sur 3 49 110.
North	Return Sur 344. I. C. A. R. 177.
12.00	Toa Brook 24 in deer on the line.
40.00	Set a 7/8 sup post from which, Beak 10 in deer house. 137 N. 39 <sup>th</sup> dist. 10, W. Ash 10 " " " 137 N. 35 " "
64.00	To Salt Creek 200 lbs ma, Come S. E.

I. A. C. A. R. N. 177<sup>2nd</sup> Mm. Sud.

81.00	To Salt Creek 300 lbs ma, Come S. E.
86.41	Set a post for the A. S. line at the post on of Sur 33 134. I. C. A. R. 177 and set a post for the car, " 344 from which, Sugar 24 in deer house. 125 E. 1 <sup>st</sup> dist. 10, Beak. 7 " " " 135 E. 10 " " Apr. 4. 1814.
North	Return Sur 33 134. I. C. A. R. 177.
40.00	Set a 7/8 sup post from which, Hogwood 8 in deer house. 142 E. 15 <sup>th</sup> dist. 10, Do. 6 " " " 142 E. 12 " "
80.00	Set a post for the car of sur 2829 31 333 from which, W. Oak 12 in deer house. 158 E. 1 <sup>st</sup> dist. 10, Do. 10 " " " 138 N. 31 " " Send the same.
East	On a Random line between Sur 28 133. I. C. A. R. 177.
40.00	Set a temp 7/8 sup post
77.70	Toa Brook 18 lbs ma, Come S.
80.00	Set a post for the A. S. line at the post on of sur 2, 11 33 134. Send the same.
West	On a Random line between Sur 28 133. I. C. A. R. 177.
40.00	Set the temp 7/8 sup post at the ar. dist. on the line from which, 10 1/2 mrod 6 in deer house. 14 E. 6 <sup>th</sup> dist. andew Do. 8 " " " 14 E. 27 " "
80.00	Set the post on of sur 28 29 32 133.
North	Return Sur 28 29. I. C. A. R. 177.
40.00	Set a 7/8 sup post from which, W. Oak 12 in deer house. 157 N. 49 <sup>th</sup> dist. 10, Curn. 10 " " " 157 N. 27 " "



T. A. C. A. R. No 177 Quad Mm. Sec 2.

80.00 Set apart for the crop of 2021-28 189 from white,  
Buck 12 in deer house. N 27° W. 14 the dist. 10,  
W Oak 20 " " S 57° E 25 " "  
Lumber rolling Timber Poplar, Oak, Ash,  
Hickory & 118 Spruce.

East Oak Random line between Sec 21 & 28. T. 6 N. R. 1 W.  
40.00 Set a trap for support.  
45.00 To a Brook 24 links in, corner S.E.  
80.14 Set out the N.W. line at the first crop of 21. 22 & 28  
Land the same.

West Oak Random line between Sec 21 & 28. T. 6 N. R. 1 W.  
40.00 Set a trap for support at the ar. dist. on the line  
from white, Lumber 6 in deer house. N 77° E 15 the dist.  
corner No. 6 " " S 20° E 6 " "  
80.14 Set out crop of 20-21-28 189.

North Between Sec 20 & 21. T. 6 N. R. 1 W.  
40.00 Set a trap for support from white,  
W Oak 20 in deer house. N 52° W. 8 the dist. 10,  
Lumber 6 " " " East 3 " "  
40.50 To a Brook 25 links in, corner S.E.  
80.00 Set apart for the crop of 16-17-18-19 from white,  
Sugar - in deer house. West 39 the dist. 10,  
No. 4 " " N 49° E 5 " "  
Land the same.

East Oak Random line between Sec 16 & 21. T. 6 N. R. 1 W.  
40.00 Set a trap for support  
80.00 Set out the N.W. line of 16 links north of the first crop  
Sec 13. 16. 21 & 22 Land the same.

T. A. C. A. R. No 177 Quad Mm. Sec 2.

West Between Sec 16 & 21. T. 6 N. R. 1 W.  
40.00 Set the trap for support on the line at the ar. dist. from  
white, Sugar 6 in deer house. S 9° W. 21 the dist. 10,  
W Oak 10 " " N 2° E 14 " "  
80.00 Set the first crop of 16-17-18 & 21.

North Between Sec 16 & 21. T. 6 N. R. 1 W.  
40.00 Set a trap for support from white,  
W Oak 40 in deer house. N 11° E 41 the dist. 10,  
Hickory 10 " " N 28° E 56 " "  
80.00 Set apart for the crop of 8-9-16-17 from white,  
Lumber 4 in deer house. N 22° E 11 the dist. 10,  
No. 10 " " N 37° W 30 " "  
Land the same.

East Oak Random line between Sec 9 & 16. T. 6 N. R. 1 W.  
40.00 Set a trap for support  
50.00 To a Brook 12 links in, corner N.E.  
80.18 Set out the N.W. line at the first crop of 9-10-15-16.  
Land the same.

West Oak Random line between Sec 9 & 16. T. 6 N. R. 1 W.  
40.00 Set the trap for support on the line at an ar. dist.  
from white, Red Bud 3 in deer house. S 8° W 8 the dist.  
corner Lastapas 5 " " S 30° W 6 " "  
80.18 Set the crop of 8-9-16 & 17.

North Between Sec 8 & 9. T. 6 N. R. 1 W.  
40.00 Set a trap for support from white,  
Sugar 8 in deer house. N 8° W 9 the dist. 10,  
No. 10 " " N 10° W 21 " "  
80.00 Set apart for the crop of 4-5-8-9 from white,  
Buck 6 in deer house. N 45° E 7 the dist. 10



T. N. C. A. R. N. 177<sup>th</sup> M. Ind.

N. W. 10 in deer bone. N 30 W. 11 the dist. to  
Sound the same.

East On the line between Sur 489 & 16<sup>th</sup> M. R. 177  
40.00 Set a trap for support.

58.00 To a Rock 10 miles in the corner.

80.10 Set out the A. R. line. at the post on of sur. 349110  
Sound very rich Timber same.

West On the line between Sur 489 & 16<sup>th</sup> M. R. 177  
40.00 Set the trap for support at the ar. ash on the line  
from white, Rock 6 in deer bone. N 86 E 18 the dist.  
to a rock 10 miles in the corner. N 40 W 16  
80.10 Set the post on of sur. 4.5, 849.

North Between Sur 485 & 16<sup>th</sup> M. R. 177.

6.50 To a Rock 12 in deer bone in the line.

40.00 Set a trap for support from white,  
Rock 12 in deer bone. S 22 E 25 the dist. to  
Do. 10 " " " N 28 W 12 " "

42.00 To a Rock 15 the same, corner E.

45.00 a <sup>36 in. dist.</sup> ~~to a rock~~  
86.50 Subcut the North 135 by the West of the post on  
of sur. 32133 T. J. A. R. 177 and set a post for the  
corner of sur. 445 from white.

Rock 12 in deer bone. S 82 W 8 the dist. to  
Do. 10 " " " N 83 E 50 " "  
Sound same. very rich April 6. 1814

The following line is in a scrap of paper with  
writing of John Milroy & appears to be a survey  
of the last named line.

North. Between Sur 483 Beginning at the post on  
T. J. A. R. 177.

T. N. C. A. R. N. 177<sup>th</sup> M. Ind.

2.00 To a Rock 15 miles in the corner E.

5.00 To a rock 16 miles in the corner.

46.50 Subcut the A. R. 177 by the West of the post on of sur.  
32133 T. J. A. R. 177 and set a post for the corner.  
445. from white,  
Rock 12 in deer bone. S 82 W 8 the dist. to  
Do. 10 " " " N 83 E 50 " "

North Between Sur 31732 & 16<sup>th</sup> M. R. 177.

40.00 Set a trap for support from white,  
Rock 10 in deer bone. N 29 E 25 the dist. to  
Do. 10 " " " S 57 W 25 " "

62.00 To a Rock 25 the same, corner E.

80.00 Set a post for the corner of sur. 27.30.31.32 from white,  
Do. ground 4 in deer bone. N 65 E 17 the dist. to  
Do. 8 " " " S 77 W 11 " "  
Sound rolling; Timber Oak, Hickory, &c. Poplar.

East On the line between Sur 29132 & 16<sup>th</sup> M. R. 177.

40.00 Set a trap for support

80.86 Subcut the A. R. line at the post on of sur. 28.19.348  
33. Sound the same.

West On the line between Sur 29132 & 16<sup>th</sup> M. R. 177

40.00 Set the trap for support on the line from white,  
Rock 12 in deer bone. N 62 E 48 the dist. to  
Do. ground 6 " " " N 60 W 22 " "

80.00 Set the post on of sur. 29.30.31.32.

West Between Sur 30131 & 16<sup>th</sup> M. R. 177.

5.00 To a Rock 20 the same, corner E.

40.00 Set a trap for support from white,  
Rock 10 in deer bone. N 55 E 25 the dist. to



## T. A. R. N. 177 2nd Mo. Ind.

83.12 W Oak 12 in dia: here B & 20 lbs dist: to  
 Intersut the West Branch 754 lbs. South of the  
 post co of res. 25736. T. A. R. 277. and set apart for  
 30 B1. From which  
 Hogwood 6 in dia: here S 9 E 39 lbs dist: to  
 W Oak 12 " " A 64 E 34 " "  
 Land the same. April 8. 1804.

South Between Jul 29 130. T. A. R. 177.  
 40.00 Set a 7/8 supst from which  
 W Oak 12 in dia: here S 5 E 25 lbs dist: to  
 B Oak 10 " " S 38 W 16 " "  
 80.00 Set apart for the co of res. 19.20.29 130 from which  
 W Oak 18 in dia: here S 5 E 10 lbs dist: to  
 Hick 10 " " S 5 W 16 " "  
 Land the same. Timber Oak & Hick

East On a Random line between Jul 20 & 29. T. A. R. 177.  
 40.00 Set a temp 7/8 supst  
 80.00 Intersut the A 13 line at the post co of res. 20.21.28  
 & 29. Land the same.

West On the line between Jul 20 & 29. T. A. R. 177.  
 40.00 Set the temp 7/8 supst on the line from which  
 B Oak 20 in dia: here S 29 E 25 lbs dist: to  
 Do. 20 " " A 53 W 35 " "  
 80.00 To the post co of res. 19.20.29 130.

West Between Jul 19 130. T. A. R. 277.  
 14.00 To a W Oak 20 in dia: on the line  
 40.00 Set a 7/8 supst from which  
 Hick 8 in dia: here N 86 E 30 lbs dist: to  
 W Oak 12 " " S 77 W 25 " "

## T. A. R. N. 177 2nd Mo. Ind.

83.13 Intersut the West Branch 29 lbs. South of the post  
 co of res. 24 & 25 T. A. R. 277. and set apart for  
 19 130 from which  
 B Oak 3 in dia: here S 10 W 8 lbs dist: to  
 Do. 5 " " S 72 E 8 " "  
 Land the same. Timber Oak & Hick

North Between Jul 19 130. T. A. R. 177.  
 40.00 Set a 7/8 supst from which  
 B Oak 20 in dia: here S 17 W 30 lbs dist: to  
 W Oak 6 " " A 59 E 10 " "  
 7.50 To a Brook 18 lbs mid. Come S. E.  
 80.00 Set apart for the co of res. 17.18.19 130 from which  
 Red Bud 6 in dia: here S 27 W 35 lbs dist: to  
 Sugar 8 " " A 10 E 7 " "  
 Land the same.

East On a Random line between Jul 17 & 20. T. A. R. 177.  
 1.50 To a Brook 18 lbs mid. Come S. E.  
 40.00 Set a temp 7/8 supst.  
 80.12 Intersut the A 13 line at the post co of res. 16.17.20 130  
 Land the same.

West On the line between Jul 17 & 20. T. A. R. 277.  
 40.06 Set the temp 7/8 supst at the ar. dist on the line from  
 which Hick 10 in dia: here N 61 W 19 lbs dist: to  
 and 10 " 20 " " A 48 E 17 " "  
 80.12 To the post co of res. 17.18.19 130.

West Between Jul 18 & 19. T. A. R. 177.  
 40.00 Set a 7/8 supst from which  
 B Oak 6 in dia: here S 23 W 6 lbs dist: to  
 Linnwood " " S 74 E 8 " "



T. N. C. A. R. N. 177 2<sup>nd</sup> Mer. Ind.

82.50 Intersub the West Boundary 68 links South of the post co of sec 13 & 14. T. 6 N. R. 2 W. and set a  
" " " 18 & 19 from white,  
Beck. 10 in dia. beam. N 64 E. 19 lbs dist, to  
No. 20 " " " S 48 W. 24 " "  
Saw the same.

North Return Sec. 17 & 18 T. 6 N. R. 1 W.  
5.00 To a Brook. 18 links min, course N. E.  
40.00 Set a post from white,  
Beck. 20 in dia. beam. North 50 lbs dist, to  
80.00 Set a post for the cor. of sec. 7, 8, 17 & 18 from white,  
W Oak. 18 in dia. beam. N 28 W. 24 lbs dist, to  
No. 10 " " " S 15 E. 14 " "  
Saw the same.

East On a Kenda line between Sec. 8 & 11 T. 6 N. R. 1 W.  
40.00 Set a trip. post.  
80.10 Intersub the N & S line 12 links South of the post  
co of sec 8, 9, 16 & 17. Saw the same.

West On the true line between Sec. 8 & 11 T. 6 N. R. 1 W.  
40.05 Set the trip. post at the ar. dist on the true line  
from white, Sugar. 8 in dia. beam. N 74 W. 35 lbs dist  
and a W Oak 10 " " " S 13 E. 34 " "  
80.10 To the post co of sec. 7, 8, 17 & 18.

West Return Sec. 7 & 18. T. 6 N. R. 1 W.  
40.00 Set a post from white,  
Immood 8 in dia. beam. N 60 W. 20 lbs dist, to  
Logmood 6 " " " N 55 E. 13 " "  
40.00 To a Brook 10 links min, course South.  
82.50 Intersub the West Boundary 50 links South of the

T. N. C. A. R. N. 177 2<sup>nd</sup> Mer. Ind.

Post co of sec 12 & 13. T. 6 N. R. 2 W. and set a post co  
of sec 7 & 18. from white,  
Beck. 12 in dia. beam. N 74 W. 11 lbs dist, to  
Ebm. 8 " " " S 86 E. 17 " "  
Saw the same and setting. Same same

North Return Sec. 7 & 18. T. 6 N. R. 1 W.  
40.00 Set a post from white,  
Beck. 20 in dia. beam. N 9 W. 29 lbs dist, to  
No. 8 " " " N 56 W. 16 " "  
46.05 To a W Oak. 12 in dia. in the min.  
80.00 Set a post for the cor. of sec 5, 6, 7 & 18 from white,  
W Oak. in dia. beam. N 82 W. 8 lbs dist, to  
Poplar 10 " " " N 35 W. 30 " "  
Saw the same.

East On a Kenda line between Sec. 5 & 8 T. 6 N. R. 1 W.  
40.00 Set a trip. post.  
58.00 To a Brook. 8 links min, course N.  
80.00 Intersub the N & S line 12 links North of the post co of  
Sec. 4, 5, 8 & 9. Saw the same.

West On the true line between Sec. 5 & 8 T. 6 N. R. 1 W.  
40.00 Set a trip. post at the ar. dist on the true line  
from white, W Oak 12 in dia. beam. N 51 E. 17 lbs dist  
and a Beck. 10 " " " S 51 W. 21 " "  
80.00 To the post co. of sec. 5, 6, 7 & 8

West Return Sec. 6 & 7. T. 6 N. R. 1 W.  
40.00 Set a post from white,  
W Beck 5 in dia. beam. N 80 E. 43 lbs dist, to  
No. 10 " " " S 50 E. 10 " "  
83.27 Intersub the West Boundary 98 links South of the post



T. A. C. A. R. A. No 179<sup>nd</sup> M<sup>o</sup>. Ind.

con of sec 1412 T. C. A. R. 277 and set a post for the  
 " " 647 from which  
 Bunk. 12 in diam. beam. 569 E. 13 links dist. to  
 Hogmuck 64 " " A 26.8 " "  
 Land the same.

North Return Sec 645 T. C. A. R. 177  
 4000 Set a post. from which  
 Bunk. 10 in diam. beam. 538 N. 5 links dist. to  
 Hick 12 " " A 14 N 13 " "  
 84.78 Intersub the A. B. round 53 links West of the post con.  
 of sec 31 131 T. C. A. R. 177 and set a post for the  
 con of sec 546 from which  
 Bunk. 18 in diam. beam. 522 E. 21 links dist. to  
 Ho. 10 " " A 15 N 13 " "  
 Land the same. Apr. 7<sup>th</sup> 1814.

Surveyed by  
 Arthur Henric,  
 Dep<sup>y</sup> Sur.

North Return Sec 342 T. C. A. R. 177 from the post  
 in the writing of John Milroy. 1<sup>st</sup> March 1823.  
 25.09 Intersub Salt Creek 350 links N. E. C.  
 42.00 Intersub Salt Creek 300 " " " " " "  
 46.41 Intersub the A. B. round 112 links West of the post con.  
 of sec 31 131 T. C. A. R. 177 and set a post for the con  
 " " 374 from which  
 Sugar, 24 in diam. beam. A 25 N E 14 links dist. to  
 Bunk. 7 " " 53 E 10 " "

camp.

T. A. C. A. R. A. No 179<sup>nd</sup> M<sup>o</sup>. Ind.

I certify that the foregoing Transcript of the field  
 notes of Township No 6 North of Range No 1 West  
 of the 2<sup>nd</sup> Mer. Ind. has been compared with the  
 Original notes of the township in this Office & found  
 to be correct.  
 Surveyor General's Office,  
 Cincinnati, Oct. 16 1851

Sur. General,